



# Heuristic Evaluation Data

# Analysis of submissions

- How many evaluators are enough?
  - What does “enough” mean?
  - Why do we care?



# Analysis of submissions

- How many evaluators are enough?
  - What does “enough” mean?
  - Why do we care?



# Analysis of submissions

- At what point do experts cease finding new issues?
  - After analyzing all submissions, every submission brought up at least 4 new issues
  - “Full coverage” was never achieved
  - Total of 62 distinct issues found over 14 submissions



# Analysis of submissions

- At what point do experts cease finding new issues?
  - After analyzing all submissions, every submission brought up at least 4 new issues
  - “Full coverage” was never achieved
  - Total of 62 distinct issues found over 14 submissions
- Frequently noted issues:
  - 5 times: Turning “on” a rubric item is unintuitive; it requires you to click on the rubric number

1	-2.0	Missing 1/2
2	-0.0	Correct

# Frequently noted issues (cont.)

- 4 times: System should have a stronger notification or prevent action when there are still unassigned submissions or unmatched students


10 Submissions  10 / 20 Students Have Not Been Matched All 10 Auto-Assigned 0 Unassigned

# Frequently noted issues (cont.)

- 4 times: System should have a stronger notification or prevent action when there are still unassigned submissions or unmatched students



- 4 times: Inconsistent or unexplained icons




# Frequently noted issues (cont.)

- 4 times: System should have a stronger notification or prevent action when there are still unassigned submissions or unmatched students



- 4 times: Inconsistent or unexplained icons



- 4 times: Not immediately obvious when something is graded





# Submissions by category

